

REQUIRES MONITORING
OR STAFF ACTION _____

COMMISSION DIRECTIVE

ADMINISTRATIVE MATTERS ☐

DATE September 20, 2005

MOTOR CARRIER MATTERS ☐

DOCKET NO. 2005-270-G

UTILITIES MATTERS ☒

SUBJECT:

DOCKET NO. 2005-270-G – Request for Investigation to Determine Whether a Regulation Should Be Promulgated Requiring Relocation of Certain Meter Sets or Installation of Splash Guards on These Meter Sets – Discuss this matter with the Commission.

COMMISSION ACTION:

The Office of Regulatory Staff has raised a safety issue concerning the safety of certain types of gas meters that are widely used in South Carolina. Without more information, the Commission can not make an informed decision on this matter. Therefore, I move that the Commission set a generic hearing or workshop to obtain more information. Given the full schedule for the remainder of this year, I further move that the Commission instruct the Staff to schedule this generic hearing or workshop in the first quarter of 2006 if possible.

PRESIDING Mitchell

	MOTION	YES	NO	OTHER		
					APPROVED	<input type="checkbox"/>
					APPROVED STC 30	<input type="checkbox"/>
CLYBURN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		DAYS	
FLEMING	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		ACCEPTED FOR FILING	<input type="checkbox"/>
HAMILTON	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		DENIED	<input type="checkbox"/>
HOWARD	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		AMENDED	<input type="checkbox"/>
MITCHELL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		TRANSFERRED	<input type="checkbox"/>
MOSELEY	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		SUSPENDED	<input type="checkbox"/>
WRIGHT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		CANCELED	<input type="checkbox"/>
					SET FOR HEARING	<input type="checkbox"/>
					ADVISED	<input type="checkbox"/>
					CARRIED OVER	<input type="checkbox"/>
					RECORDED BY	<u>JBS</u>

Session: Regular

Time of Session 2:30 PM